

windmüller flooring products WFP GmbH
Nord-West-Ring 21
D-32832 Augustdorf
Tel.: +49 (0) 52 37 609 - 0
Fax: +49 (0) 52 37 609 - 309
info@wineo.de
www.wineo.de

Handed over by:

Product no. 20090837 | 12/2016

Stage of life

wineo

wineo

wineo 1000

PURLINE ORGANIC FLOORING

**NATURAL INGREDIENTS
FOR A HEALTHY LIFESTYLE**

wineo



NEW!
MULTI-LAYER
XXL
ON PAGE 20

NATURAL INGREDIENTS FOR A HEALTHY LIFESTYLE

Valley Oak Soil
wineo 1000 wood | PL041R
wineo 1000 wood | PLC041R
wineo 1000 wood XXL | MLP041R



FOR THOSE WHO APPRECIATE THE FINER THINGS IN LIFE!

All too often, our everyday life is hectic and stressful.

This is precisely why we all need somewhere to recharge:
our home, our sanctuary, somewhere, where we can relax
and feel good.

MY CHOICE, NATURALLY!

There is no rule that says your interior – and your flooring – cannot reflect a certain ambition. Why shouldn't it be eco-friendly, long-lasting, multi-purpose and without compromise in design; a representation of your own personal style? With PURLINE organic flooring from wineo we strive to satisfy your every wish and desire!

We manufacture PURLINE with a great deal of care and attention to detail. Made from the best that nature has to offer and an acute awareness to design and quality, PURLINE offers only the best for your "Stage of Life".



RAPESEED OR CASTOR OIL



Natural and sustainable –
the perfect replacement for plasticisers and crude oil

CHALK



Harmless and particularly fine –
an ideal filler

INSPIRED BY NATURE – MADE FOR LIFE

Classy, long-lasting and damn good – PURLINE organic flooring is probably the most ecologically sound elastic flooring on the market at the moment. PVC-free: no chlorine, no plasticisers, no solvents. Instead of these they contain chalk, rapeseed oil and castor oil. It is odour-free and almost emission-free, perfectly harmless health-wise yet extremely resilient when it comes up against solvents, chemicals and weather-related influences. It's full of the best ingredients, after all.



BEST INGREDIENTS FOR FRESH INTERIOR DESIGN IDEAS

A floor made from natural raw materials – that convinces a lot of people.

But a floor that withstands an unbelievable amount of pressure – that impresses everyone.

Acquire a taste for it!



DURABLE

wineo design flooring is **resistant to staining**. Even furniture and chair castors leave no trace.



EASY CARE

The polyurethan surface makes the organic flooring **easy to clean**.



QUIET

The soft surface ensures pleasantly **quiet acoustics**.



WARM TO THE FEET

The organic flooring feels **pleasantly warm** and is perfect for lounging, playing and living.



SUITABLE FOR UNDERFLOOR HEATING

Installed over underfloor heating, the organic flooring provides **additional warmth**.



UV-RESISTANT

It **won't fade** with exposure to sunlight.



SUITABLE FOR DAMP AREAS

All wineo organic floorings for gluing and clicking in is ideal for damp areas, such as kitchens or bathrooms, as **it does not swell on contact with water**.



GENTLE ON THE ANKLES

The **elastic surface** is gentle on the joints.



NON-SLIP

The **tested surface** ensures safety with every step.



ODOURLESS

No unpleasant odours.

BEAUTIFULLY DESIGNED FOR YOUR HOME!

For the first time, PURLINE organic flooring is available for domestic use as a utilization class 32. PURLINE wineo 1000 is as durable as it is sustainable. Whether you prefer oak or pine, concrete or marble, with a choice of 20 stylish wood finishes and 8 classic stone finishes, you will certainly find what you are looking for.



TO GLUE OR TO CLICK

The eco-friendly wineo 1000 floor covering is now available for gluing or clicking in. Maximum flexibility for your home.

- Quickly installed thanks to the Connect locking system
- Odor neutral
- No dirty hands
- Can be used right away
- Easy to remove

SOMETHING YOU CAN RELY ON

Nowadays, outstanding quality means providing more than just an excellent product, which is why we also offer our customers the highest degree of transparency. And with that comes extra security.

- Made exclusively in Germany
- Numerous quality checks from the initial mixing of ingredients to the finishing of the boards
- Traceable production process by means of a stamp on the underside of each board
- wineo 1000 uses polyurethane technology which ensures outstanding durability, maintenance, and safety

MADE IN GERMANY

wineo 1000 wood

Installation type: Gluing
Product thickness: 2,2 mm
Planks / Box: 20/5,19m²



1298 x 200 mm

Installation type: Click
Product thickness: 5 mm
Planks / Box: 8/2,02m²



1295 x 195 mm



Nordic Pine Style
Gluing: PL049R
Click: PLC049R
 Skirting board 14,5/50: 30060522



Malmoe Pine
Gluing: PL019R
Click: PLC019R
 Skirting board 14,5/50: 30060425



Arctic Oak
Gluing: PL008R
Click: PLC008R
 Skirting board 14,5/50: 30060414



Ascona Pine Nature
Gluing: PL052R
Click: PLC052R
 Skirting board 14,5/50: 30060515



THE BEST INGREDIENTS FOR CAREFREE USE

Ascona Pine Nature
 wineo 1000 wood | PL052R
 wineo 1000 wood | PLC052R

wineo 1000 wood

Installation type: Gluing
Product thickness: 2,2 mm
Planks / Box: 20/5,19m²



Installation type: Click
Product thickness: 5 mm
Planks / Box: 8/2,02m²



Island Oak Moon
Gluing: PL045R
Click: PLC045R
 Skirting board 14,5/50: 30060519



Calistoga Grey
Gluing: PL003R
Click: PLC003R
 Skirting board 14,5/50: 30060409



Valley Oak Mud
Gluing: PL042R
Click: PLC042R
 Skirting board 14,5/50: 30060526



Patina Teak
Gluing: PL046R
Click: PLC046R
 Skirting board 14,5/50: 30060523



THE BEST INGREDIENTS IN THEIR MOST BEAUTIFUL FORM

Calistoga Grey
 wineo 1000 wood | PL003R
 wineo 1000 wood | PLC003R
 wineo 1000 wood XXL | MLP003R

wineo 1000 wood

Installation type: Gluing

Product thickness: 2,2 mm

Planks / Box: 20/5,19m²



Installation type: Click

Product thickness: 5 mm

Planks / Box: 8/2,02m²



Nordic Pine Modern
Gluing: PL050R
Click: PLC050R
 Skirting board 14,5/50: 30060521



Traditional Oak Brown
Gluing: PL051R
Click: PLC051R
 Skirting board 14,5/50: 30060525



Calistoga Cream
Gluing: PL054R
Click: PLC054R
 Skirting board 14,5/50: 30060410



Island Oak Sand
Gluing: PL044R
Click: PLC044R
 Skirting board 14,5/50: 30060520



THE BEST INGREDIENTS FOR A HEALTHY ENVIRONMENT

Calistoga Cream
 wineo 1000 wood | PL054R
 wineo 1000 wood | PLC054R
 wineo 1000 wood XXL | MLP054R

wineo 1000 wood

Installation type: Gluing
Product thickness: 2,2 mm
Planks / Box: 20/5,19m²



1298 x 200 mm

Installation type: Click
Product thickness: 5 mm
Planks / Box: 8/2,02m²




1295 x 195 mm




Valley Oak Soil
Gluing: PL041R
Click: PLC041R
 Skirting board 14,5/50: 30060527



Dakota Oak
Gluing: PL017R
Click: PLC017R
 Skirting board 14,5/50: 30060423



Garden Oak
Gluing: PL005R
Click: PLC005R
 Skirting board 14,5/50: 30060411



Island Oak Honey
Gluing: PL043R
Click: PLC043R
 Skirting board 14,5/50: 30060518



THE BEST INGREDIENTS FOR ELEGANT LIVING

Dakota Oak
 wineo 1000 wood | PL017R
 wineo 1000 wood | PLC017R
 wineo 1000 wood XXL | MLP017R

wineo 1000 wood

Installation type: Gluing

Product thickness: 2,2 mm

Planks / Box: 20/5,19m²



1298 x 200 mm

Installation type: Click

Product thickness: 5 mm

Planks / Box: 8/2,02m²



1295 x 195 mm



Carmel Pine
Gluing: PL048R
Click: PLC048R
 Skirting board 14,5/50: 30060516



Summer Beech
Gluing: PL047R
Click: PLC047R
 Skirting board 14,5/50: 30060524



Canyon Oak
Gluing: PL007R
Click: PLC007R
 Skirting board 14,5/50: 30060413



Calistoga Nature
Gluing: PL001R
Click: PLC001R
 Skirting board 14,5/50: 30060407



**THE BEST INGREDIENTS
 FOR THE PERFECT FLOORING
 EXPERIENCE**

THE BEST OF EVERYTHING

Now there's even more in it for you – we've simply made wineo 1000 XXL. As a Multi-Layer with integrated insulation mat. And with the best ingredients as always.

The global innovation: PURLINE organic flooring is ideal for homes also as a Multi-Layer in XXL plank format. Extremely low-maintenance and robust. Swell-protected thanks to HDF core board. Installed quickly with the LocTec® locking system. And with a 9mm installation height it's perfect for areas of unevenness. Also if under-floor heating has been installed.

- 10 hand-picked wood decors from the stylish wineo 1000 wood XXL Multi-Layer collection
- Stable 9mm Multi-Layer – ideal for punctual conformability
- Installed quickly thanks to the LocTec® locking system
- Integrated insulation mat for further reducing walking and impact sound
- Elegant and high-class wide-plank look
- For the first time and exclusively in the PURLINE portfolio: the 1845 x 237mm XXL wide-plank format
- The ideal supplement for wineo 1000, the PURLINE organic flooring for private homes

THERE'S MORE IN IT – THE BEST INGREDIENTS

No plasticisers, no solvents, no frills – wineo PURLINE organic flooring is probably the most ecologically sound elastic flooring on the market at the moment.

THERE'S MORE TO DISTINGUISH IT – BIG, BIGGER, XXL

1845x237 mm of pure elegance – high-grade, unique and with a classy wide-plank visual effect. That makes an impression.

IT'S CAPABLE OF MORE – THE V4 JOINT

circumferential and lacquered – the exclusive V4 joint guarantees an impressive and very special look. That makes its presence felt.

THERE'S MORE UNDERNEATH IT – INTEGRATED INSULATION MAT

Ecological and constantly good – the integrated insulation mat reduces walking and impact sound to a minimum. That's easier on the nerves.

wineo 1000 wood XXL

Installation type: Click
 Product thickness: 9mm
 Planks / Box: 5/2,19m²



Multi-Layer


1845 × 237 mm



Garden Oak
 Click: MLP005R
 Skirting board 14,5/50:
 30060411



Island Oak Sand
 Click: MLP044R
 Skirting board 14,5/50:
 30060520



Canyon Oak
 Click: MLP007R
 Skirting board 14,5/50:
 30060413



Traditional Oak Brown
 Click: MLP051R
 Skirting board 14,5/50:
 30060525



Island Oak Moon
 Click: MLP045R
 Skirting board 14,5/50:
 30060519



Valley Oak Soil
 Click: MLP041R
 Skirting board 14,5/50:
 30060527



Calistoga Cream
 Click: MLP054R
 Skirting board 14,5/50:
 30060410



Calistoga Grey
 Click: MLP003R
 Skirting board 14,5/50:
 30060409



Dakota Oak
 Click: MLP017R
 Skirting board 14,5/50:
 30060423



Calistoga Nature
 Click: MLP001R
 Skirting board 14,5/50:
 30060407

wineo 1000 stone

Installation type: Gluing

Product thickness: 2,2 mm

Tiles / Box: 14/4,86m²



Installation type: Click

Product thickness: 5 mm

Tiles / Box: 6/2,05m²



Stockholm Loft
Gluing: PL055R
Click: PLC055R



Mocca Cream
Gluing: PL039R
Click: PLC039R



Venice Harbour
Gluing: PL056R
Click: PLC056R



Milan Opera
Gluing: PL059R
Click: PLC059R



THE BEST INGREDIENTS FOR NATURAL RESISTANCE

wineo 1000 stone

Installation type: Gluing

Product thickness: 2,2 mm

Tiles / Box: 14/4,86m²



Installation type: Click

Product thickness: 5 mm

Tiles / Box: 6/2,05m²



Paris Art
Gluing: PL057R
Click: PLC057R



Puro Silver
Gluing: PL028R
Click: PLC028R



Manhattan Factory
Gluing: PL058R
Click: PLC058R








Scivaro Slate
Gluing: PL038R
Click: PLC038R




THE BEST INGREDIENTS FOR IMPRESSIVE PERFORMANCE

Paris Art
 wineo 1000 stone | PL057R
 wineo 1000 stone | PLC057R


Collection	wineo 1000 wood	wineo 1000 wood XXL	wineo 1000 stone
Installation type	Gluing  Click 	Multi-Layer Click 	Gluing  Click 
Format	1298 x 200 mm	1295 x 195 mm	1845 x 237 mm
Product thickness	2.2 mm	5 mm	9 mm
Planks/Box	20 / 5.19 m ²	8 / 2.02 m ²	5 / 2.19 m ²
Boxes/Palett	48 / 249.12 m ²	48 / 96.96 m ²	48 / 105.12 m ²
Weight	3.6 kg / m ²	9 kg / m ²	8.7 kg / m ²
Utilization class	23 / 32	23 / 32	23 / 32




wineo 1000 wood

 1298 x 200 mm

 1295 x 195 mm


 Multi-Layer 1845 x 237 mm

wineo 1000 stone

 862 x 402 mm

 859 x 397 mm

Product composition wineo 1000 to glue




- 1 Surface texture**
various embossings
- 2 Top layer**
Polyurethane
- 3 Decor**
Decor paper
- 4 Stabilisation**
Glass fibre reinforcement
- 5 Base layer**
Polyurethane
- 6 Backing**
Fleece-TEC System

Product composition wineo 1000 to click in



- 1 Surface texture**
various embossings
- 2 Top layer**
Polyurethane
- 3 Decor**
Decor paper
- 4 Stabilisation**
Glass fibre reinforcement
- 5 Base layer**
Polyurethane
- 6 Profile connection**
Connect technology
- 7 Backing**
Glass fibre reinforcement

Product composition wineo 1000 wood XXL Multi-Layer to click in



- 1 Surface texture**
various embossings
- 2 Top layer**
Polyurethane
- 3 Decor**
Decor paper
- 4 Base layer**
Polyurethane
- 5 Core board**
Aqua-Protect®
- 6 Profile connection**
 - LocTec® technology
 - Fold-down locking short side
- 7 Edge bevelling V4**
- 8 Insulation mat**
Sound-Protect Eco



Calistoga Cream
 wineo 1000 wood | PL054R
 wineo 1000 wood | PLC054R
 wineo 1000 wood XXL | MLP054R



ACCESSORIES

THESE ARE THE LITTLE THINGS THAT COUNT.

Get the right finish with specially – cut skirting boards and underlays designed for optimum sound reduction.

SKIRTING BOARD SELECTION

- Color-coordinated boards for all 20 variations of wineo 1000 wood
- Waterproof
- Secure thanks to the Clipholder fastening system

WATER-
PROOF



Skirting board 14,5/50
Plastic component
14,5 x 50 x 2400 mm
PU = 4 units



Art. no. 30020241
PU = 30 clips / approx. 15 metres
Minimum order size = 1 PU

WATERPROOF silentCOMFORT INSULATING MATS FOR WINEO 1000 TO CLICK

- Made from up to 90% natural materials
- Excellent, long-lasting impact sound properties
- Levels out uneven floors
- Easy to install
- Ideal for underfloor heating



Impact sound reduction of up to 14 dB when used with wineo organic flooring to click



ONLY THE BEST FOR YOUR SUCCESS

In a team everything works out easier. We offer our distribution partners technical support, informative seminars, and an extensive selection of samples and printed materials.



THE FOLLOWING WINEO 1000 COMMUNICATION MATERIAL IS AVAILABLE:

- swatches
- samples cards
- sample casaes
- POS display
- brochures
- and much, much more

WEB HIGHLIGHTS

- Floor finder
- Showroom with references and floor studio
- Retailer search
- Download area
- Newsletter
- Application video – The installation of wineo 1000, easy and fast:

Discover more at:
www.wineo.de/en/